


Figure - 1

Figure - 2

3/13




Figure - 3




Figure - 4




Figure - 5






Figure - 6

Figure - 7

7/13

Figure - 8

8/13

<i>Vehicle Preferences Manager</i>	
<i>Driver 1</i>	<i>Driver 2</i>
<i>Change Preference Settings</i>	
<i>Transmit Settings to Vehicle</i>	
<i>Advanced</i>	<i>About</i>

Figure - 8A

<i>Advanced Options</i>	
<i>Beam Vehicle PM to another PDA</i>	
<i>Restore Factory Settings</i>	
<i>Done</i>	

Figure - 8B

<i>About Vehicle PM</i>	
<i>Vehicle Preferences Manager Is the property of Sumitomo Electric Wiring Systems</i>	
<i>Done</i>	

Figure - 8C

<i>Vehicle Options - Driver 1</i>	
<i>Auto Lights</i>	
<i>Interior Lighting</i>	
<i>Instrument Panel Illumination</i>	
<i>Auto Door Locks</i>	
<i>Buzzer</i>	
<i>Done</i>	

Figure - 8D

<i>Auto Door Locks - Driver 1</i>	
<i>Auto Door Lock Options:</i>	
<i>Lock when shifted out of PARK</i>	
<i>Door Unlock Select:</i>	
<i>Only driver's door unlocks</i>	
<i>Auto Door Unlock Options:</i>	
<i>Unlock when ignition is turned Off</i>	
<i>Done</i>	

Figure - 8E

9/13

Interior Lighting - Driver 1	
Time to OFF after closing all doors: 0 \leftrightarrow seconds	
	
<input type="button" value="Done"/>	

Figure - 8F

Instrument Panel - Driver 1	
Illumination Brightness: 5 \leftrightarrow brightness level	
	
<input type="button" value="Done"/>	

Figure - 8G

Auto Lights - Driver 1	
Auto Light ON Options:	
\triangleright ON in Medium outdoor light	
Auto Light OFF Options:	
\triangleright Ignition OFF, driver's door CLOSED	
Time to Auto OFF: 5 \leftrightarrow seconds	
	
<input type="button" value="Done"/>	

Figure - 8H

Buzzer-Driver 1	
Emergency brake/door ajar buzzer	
Activate the buzzer when vehicle is shifted out of "Park" position if:	
<input checked="" type="checkbox"/> Emergency Brake is set	
<input checked="" type="checkbox"/> Any door is ajar	
<input type="button" value="Done"/>	

Figure - 8I

10/13




Figure - 9




Figure - 10

12/13

DATA	
Hi-Byte	LO-Byte
Driver 1	Auto light
Auto door lock	Panic
Auto light off 1	Auto light off 2
Dome light	Buzzer
Driver 2	Auto light
Auto door lock	Panic
Auto light off 1	Auto light off 2
Dome light	Buzzer
Keyless Fob	Keyless Fob

Figure - 11

13/13




Figure - 12